

LITE040

500W MID TOWER CHASSIS

**COMPACT IN THE OUTSIDE,
BROAD IN THE INSIDE**


LITE040 is the Nox solution to those who need a high performance equipment but without sacrificing nor space or an efficient execution.

OUTER CHARACTERISTICS

Dimensions

INNER CHARACTERISTICS

SPECIFICATIONS



LITE040

500W MID TOWER CHASSIS

**COMPACT IN THE OUTSIDE,
BROAD IN THE INSIDE**


LITE040 is the Nox solution to those who need a high performance equipment but without sacrificing nor space or an efficient execution.

OUTER CHARACTERISTICS

Connections

INNER CHARACTERISTICS

SPECIFICATIONS



CONNECTIONS

01. USB 3.0

02. USB 2.0

03. Audio Input (3.5mm Jack)

04. Microphone Input (3.5mm Jack)

05. Reboot Button

06. On / Off Button

LITE040

500W MID TOWER CHASSIS

**COMPACT IN THE OUTSIDE,
BROAD IN THE INSIDE**


LITE040 is the Nox solution to those who need a high performance equipment but without sacrificing nor space or an efficient execution.

OUTER CHARACTERISTICS

INNER CHARACTERISTICS

Cooling System

SPECIFICATIONS



LITE040

500W MID TOWER CHASSIS

**COMPACT IN THE OUTSIDE,
BROAD IN THE INSIDE**


LITE040 is the Nox solution to those who need a high performance equipment but without sacrificing nor space or an efficient execution.

OUTER CHARACTERISTICS

INNER CHARACTERISTICS

Airflow

SPECIFICATIONS



LITE040

500W MID TOWER CHASSIS

OUTER CHARACTERISTICS


INNER CHARACTERISTICS

Internal Space

SPECIFICATIONS

**COMPACT IN THE OUTSIDE,
BROAD IN THE INSIDE**

LITE040 is the Nox solution to those who need a high performance equipment but without sacrificing nor space or an efficient execution.



VGA **370 cm**
Max. Length

CPU Cooler
166 cm
Max. Height

LITE040

500W MID TOWER CHASSIS


OUTER CHARACTERISTICS

INNER CHARACTERISTICS

Storage SPECIFICATIONS

**COMPACT IN THE OUTSIDE,
BROAD IN THE INSIDE**

LITE040 is the Nox solution to those who need a high performance equipment but without sacrificing nor space or an efficient execution.



LITE040

500W MID TOWER CHASSIS

**COMPACT IN THE OUTSIDE,
BROAD IN THE INSIDE**

LITE040 is the Nox solution to those who need a high performance equipment but without sacrificing nor space or an efficient execution.

OUTER CHARACTERISTICS

INNER CHARACTERISTICS

SPECIFICATIONS Specifications Table

EXTRAS

- Brushed finish front panel
- High speed USB 3.0
- Up to 6 fans capability
- Power supply included
- Magnetic dust filter

CHASSIS TYPE SIZE Mid tower

MOTHERBOARD FORM FACTOR ATX • Micro ATX • ITX

EXTERNAL DRIVE BAYS 1x 5.25"

INTERNAL DRIVE BAYS 2x 3.5" / 2x 2.5"

COOLING SYSTEM

- Front: 2x 120 mm (optional)
- Side: 2x 120 mm (optional)
- Rear: 1x 120 mm (optional)
- Top: 1x 120 mm (optional)

EXPANSION SLOTS 7

MATERIAL

- ABS plastic
- SPCC 0.5 mm steel chassis

COLOR Black

CONNECTIONS 1x USB 3.0 • 2x USB 2.0 • HD Audio

MAX. GRAPHIC CARD 370 mm

MAX. CPU COOLER 166 mm

DIMENSIONS 413(D) x 198(W) x 422(H)

WEIGHT (WITHOUT PSU) 2,70 Kg

WEIGHT (WITH PSU) 3,50 Kg

POWER SUPPLY

- 500W
- ATX
- CONNECTORS:
 - 3x SATA
 - 1x Molex 4pin
 - 1x ATX 20/24 pin
 - 1x CPU 4 pin
 - 1x FDD

PN: NXLITE040 • **EAN:** 8436532168635