

HUMMER SPARK

OUTER
CHARACTERISTICS

INNER
CHARACTERISTICS

SPECIFICATIONS



HUMMER SPARK


**A COMPACT CHASSIS WITH A SIMPLE DESIGN
AND GREAT POSSIBILITIES**

A semitower chassis with front ARGB Rainbow LED Strip, side acrylic glass and clearance enough to assemble inside a powerful and high performance configuration.

**OUTER
CHARACTERISTICS**
Dimensions

**INNER
CHARACTERISTICS**

SPECIFICATIONS



HUMMER SPARK

**A COMPACT CHASSIS WITH A SIMPLE DESIGN
AND GREAT POSSIBILITIES**

A semitower chassis with front ARGB Rainbow LED Strip, side acrylic glass and clearance enough to assemble inside a powerful and high performance configuration.

OUTER CHARACTERISTICS

Connections

INNER CHARACTERISTICS

SPECIFICATIONS



CONNECTIONS

01. On / Off Button

02. Reboot button

03. USB 2.0

04. Audio & Mic. Inputs (3.5mm Jack)

05. USB 2.0

06. USB 3.0

HUMMER SPARK

OUTER CHARACTERISTICS

INNER CHARACTERISTICS

Cooling System

SPECIFICATIONS



A COMPACT CHASSIS WITH A SIMPLE DESIGN AND GREAT POSSIBILITIES

A semitower chassis with front ARGB Rainbow LED Strip, side acrylic glass and clearance enough to assemble inside a powerful and high performance configuration.



HUMMER SPARK

OUTER CHARACTERISTICS


A COMPACT CHASSIS WITH A SIMPLE DESIGN AND GREAT POSSIBILITIES

A semitower chassis with front ARGB Rainbow LED Strip, side acrylic glass and clearance enough to assemble inside a powerful and high performance configuration.

INNER CHARACTERISTICS

Airflow

SPECIFICATIONS



HUMMER SPARK

OUTER CHARACTERISTICS

INNER CHARACTERISTICS

Internal Space

SPECIFICATIONS



A COMPACT CHASSIS WITH A SIMPLE DESIGN AND GREAT POSSIBILITIES

A semitower chassis with front ARGB Rainbow LED Strip, side acrylic glass and clearance enough to assemble inside a powerful and high performance configuration.



Cooler CPU
150 mm
Max. Height

VGA **240 mm**
Max. Length

HUMMER SPARK


OUTER CHARACTERISTICS

A COMPACT CHASSIS WITH A SIMPLE DESIGN AND GREAT POSSIBILITIES

A semitower chassis with front ARGB Rainbow LED Strip, side acrylic glass and clearance enough to assemble inside a powerful and high performance configuration.

INNER CHARACTERISTICS

Storage SPECIFICATIONS



HUMMER SPARK

OUTER CHARACTERISTICS

INNER CHARACTERISTICS

SPECIFICATIONS

Specifications Table



A COMPACT CHASSIS WITH A SIMPLE DESIGN AND GREAT POSSIBILITIES

A semitower chassis with front ARGB Rainbow LED Strip, side acrylic glass and clearance enough to assemble inside a powerful and high performance configuration.



EXTRAS

- ARGB rainbow frontal LED strip
- Acrylic side window
- Up to 4 fans capability
- High speed 3.0 USB

CHASSIS TYPE SIZE Mid Tower

MOTHERBOARD FORM FACTOR ATX • M-ATX

INTERNAL DRIVE BAYS 2x 3.5" • 3x 2.5"

COOLING SYSTEM

- Front: 3x 120mm (2x included) | 2x 140mm (not included)
- Rear: 1x 120 mm (not included)
- Top: —

EXPANSION SLOTS 7

MATERIAL

- SPCC 0.4 mm steel chassis
- ABS plastic front

COLOR Black

POWER SUPPLY

Compatible standard ATX (not included)

CLEARANCE Cooler CPU: 150 mm • VGA 240 mm

WATER COOLING OPTIONS

- Front: 240 / 280 mm
- Rear: —
- Top: —

DIMENSIONS 173 x 405 x 415 mm (W x H x D)

PORTS 1x USB 3.0 • 2x USB 2.0 • HD Audio & Mic

WEIGHT 3.4 Kg

PN: NXHUMMERSPARK • **EAN:** 8436587970528