

LITE030

500W MINI TOWER CHASSIS

**COMPACT IN THE OUTSIDE,
BROAD IN THE INSIDE**


LITE030 is the Nox solution to those who need a high performance equipment but without sacrificing nor space or an efficient execution.

OUTER CHARACTERISTICS

Dimensions

INNER CHARACTERISTICS

SPECIFICATIONS



LITE030

500W MINI TOWER CHASSIS

**COMPACT IN THE OUTSIDE,
BROAD IN THE INSIDE**


LITE030 is the Nox solution to those who need a high performance equipment but without sacrificing nor space or an efficient execution.

OUTER CHARACTERISTICS

Connections

INNER CHARACTERISTICS

SPECIFICATIONS



CONNECTIONS

01. USB 3.0

02. USB 2.0

03. Audio Input (3.5mm Jack)

04. Microphone Input (3.5mm Jack)

05. Reboot Button

06. On / Off Button

LITE030

500W MINI TOWER CHASSIS

OUTER CHARACTERISTICS

INNER CHARACTERISTICS


Cooling System

SPECIFICATIONS


**COMPACT IN THE OUTSIDE,
BROAD IN THE INSIDE**

LITE030 is the Nox solution to those who need a high performance equipment but without sacrificing nor space or an efficient execution.

REAR
80 mm (1x)
OPTIONAL



SIDE
120 mm (1x)
OPTIONAL



FRONT
120 mm (1x)
OPTIONAL



LITE030

500W MINI TOWER CHASSIS

OUTER
CHARACTERISTICS


INNER
CHARACTERISTICS

Airflow

SPECIFICATIONS

**COMPACT IN THE OUTSIDE,
BROAD IN THE INSIDE**

LITE030 is the Nox solution to those who need a high performance equipment but without sacrificing nor space or an efficient execution.



LITE030

500W MINI TOWER CHASSIS

OUTER CHARACTERISTICS

INNER CHARACTERISTICS

Internal Space

SPECIFICATIONS

**COMPACT IN THE OUTSIDE,
BROAD IN THE INSIDE**

LITE030 is the Nox solution to those who need a high performance equipment but without sacrificing nor space or an efficient execution.



LITE030

500W MINI TOWER CHASSIS

OUTER CHARACTERISTICS

INNER CHARACTERISTICS

Storage SPECIFICATIONS

**COMPACT IN THE OUTSIDE,
BROAD IN THE INSIDE**


LITE030 is the Nox solution to those who need a high performance equipment but without sacrificing nor space or an efficient execution.

You can install either a
1x SSD 2.5"

1x HDD 3.5"

You can install either a
1x SSD 2.5"

1x HDD 3.5"



LITE030

500W MINI TOWER CHASSIS

**COMPACT IN THE OUTSIDE,
BROAD IN THE INSIDE**

LITE030 is the Nox solution to those who need a high performance equipment but without sacrificing nor space or an efficient execution.

OUTER CHARACTERISTICS

INNER CHARACTERISTICS

SPECIFICATIONS Specifications Table

EXTRAS

- Metal mesh front panel
- High speed USB 3.0
- Up to 3 fans capability
- Power supply included

CHASSIS TYPE SIZE Mini tower

MOTHERBOARD FORM FACTOR Micro ATX • ITX

EXTERNAL DRIVE BAYS 1x 5.25"

INTERNAL DRIVE BAYS 3x 3.5" / 4x 2.5"

COOLING SYSTEM

- Front: 1x 120 mm (optional)
- Side: 1x 120 mm (optional)
- Rear: 1x 80 mm (optional)

EXPANSION SLOTS 4

MATERIAL

- ABS plastic
- SPCC 0.4 mm steel chassis

COLOR Black

CONNECTIONS 1x USB 3.0 • 2x USB 2.0 • HD Audio

MAX. GRAPHIC CARD 315 mm

MAX. CPU COOLER 147 mm

DIMENSIONS 330(D) x 170(W) x 350(H)

WEIGHT (WITHOUT PSU) 2,40 Kg

WEIGHT (WITH PSU) 3,20 Kg

POWER SUPPLY

- 500W
- ATX
- CONNECTORS:
 - 3x SATA
 - 1x Molex 4pin
 - 1x ATX 20/24 pin
 - 1x CPU 4 pin
 - 1x FDD

PN: NXLITE030 • **EAN:** 8436532167867