

H-240CL

FAN SPECIFICATIONS

Bearing	Hydraulic
Fan Speed	800 ~ 2000 RPM
Air flow	88.3 CFM (maximum)
Static pressure	2.2 mm H2O (max)
Acoustical noise	< 25.0 dBA (max)
Rated voltage	12 V
MTBF	>40.000 h
Connector	4-pin (PWM)
Dimensions	120(W) x 120(H) x 25(D) mm

BLOCK

Dimensions	58(W) x 58(H) x 34.65(D) mm
Material	Copper (base), plastic (main body, housing)

PUMP

Bearing	Ceramics
Motor Speed	2500 RPM ± 10%
Rated voltage	12 V

RADIATOR

Dimensions	273(W) x 120(H) x 27(D) mm
Material	Aluminium

TUBING

Dimensions	12(Ø) x 320(L) mm
Material	Rubber

WEIGHT

1005 g (fans included)

Socket Intel

Intel LGA 775 / 1155 / 1156 / 1151 / 1150 / 1366 / 2011 (Core i3, i5, i7) / 1200

AMD Socket

FM2 / FM1 / AM3+ / AM3 / AM2+ / AM2 / AM4



MATCHLESS DISSIPATION
COPPER BLOCK & ALUMINIUM RADIATOR



EASY TO INSTALL
OUTSTANDING PERFORMANCE