



# HUMMER X 1200w


## SPECIFICATIONS

- 80 PLUS Platinum certified: 92% minimal efficiency guaranteed
- Full modular cables
- Japanese electrolytic capacitors certified for work in 105°C
- ATX 12V 2.31 & EPS 12V 2.91/2.92 power supply with active PFC
- Eco friendly, complies with RoHS and ERP 2013 directives
- OVP, SCP, OPP, SIP, UVP protections
- Flat and extra long cables
- 120 mm ultra silent fan with fan speed control
- Single +12V rail
- Dimensions: 187,8 x 145,7 x 86 mm | Net weight: 3.15 Kg




PN NXHUMMERX1200WPT  
EAN 8436532168604


## CONNECTORS



**24 pin ATX**  
Power  
Conector  
x1 unit  
67 cm




**EPS+12V**  
4+4 pin  
x2 units  
72 cm



**S-ATA**  
x12 units  
50 cm



**PCIe**  
6+2 pin  
x2 units, 50 cm  
x2 units, 15 cm



**Molex**  
4 pin  
x4 units  
50 cm

## VOLTAGES


|              |                              |                              |       |      |      |       |
|--------------|------------------------------|------------------------------|-------|------|------|-------|
| <b>1200W</b> | <b>AC INPUT</b>              | 100-240 Vac, 63-47 Hz, 15-6A |       |      |      |       |
|              | <b>DC OUTPUT</b>             | +12V                         | +3.3V | +5V  | -12V | +5VSB |
|              | <b>Max. Output Current</b>   | 98A                          | 20A   | 20A  | 0.3A | 3A    |
|              | <b>Max. Combined Wattage</b> | 1176W                        | 100W  | 3.6W | 15W  |       |
|              | <b>Maximum Power</b>         | <b>1200W</b>                 |       |      |      |       |




**80 PLUS PLATINUM**  
CERTIFIED  
POWER SUPPLY



## EFFICIENCY 230V





THINK  
**BIG,**   
THINK  
**HUMMER.**